

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	144	(eddy adj current) near12 ( ((multi multiple plural plurality) adj frequency) multifrequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:30
L3	61	2 and thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:33
L4	2121	( ((before pre) adj (coating coated)) precoating precoated uncoated) near12 ((eddy adj current) measurement measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:38
L5	929	((after post "with") adj (coating coated)) near12 ((eddy adj current) measurement measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
L6	128	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:33
L7	0	2 and 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:33
L8	89	6 and thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:34
L9	1	8 and eddy adj current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
L10	2434	( ((before pre) adj2 (coating coated)) precoating precoated uncoated) near12 ((eddy adj current) measurement measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:37

L11	2743	( ((before pre "without" un) adj2 (coating coated)) precoating precoated uncoated) near12 ((eddy adj current) measurement measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
L12	1847	((after post "with") adj3 (coating coated)) near12 ((eddy adj current) measurement measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
L13	3049	( ((before pre "without" un) adj3 (coating coated)) precoating precoated uncoated) near12 ((eddy adj current) measurement measur\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
L14	480	12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
L15	14	14 and (eddy adj current) and (thickness resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/05 17:39
S1	15	("4849694" "5525903" "5625170" "20020053904" "6407546" "6433541" "6563308" re37749).pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:15
S2	24	("4849694" "5525903" "5625170" "20020053904" "6407546" "6433541" "6563308" re37749 "20030090266" "6700370" "20040070393" "6815947").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:21
S3	224	438/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:22
S4	213	438/230.icls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:20
S5	225	S3 S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:22

S6	276	324/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:22
S7	166	324/230.icls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:23
S8	276	S6 S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:23
S9	268	(mean median average) near12 (sheet adj resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 16:32
S10	57412	(mean median average) near12 (thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:40
S11	2778	(mean median average) near12 (resistivity)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:41
S12	10	S9 and S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:46
S13	2160	(eddy adj current) near12 (resistance conductance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:47
S14	103	(eddy adj current) near12 (resistance conductance) near12 (thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:57
S15	2	"20020047705"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/13 13:57

S16	35	((wafer adj map) global globally ((plural plurality) near2 (location point)) ) near12 (sheet adj resistance)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 16:41
S17	1506	((wafer adj map) global globally ((plural plurality) near2 (location point)) ) near12 (thick thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 17:39
S18	0	(coulometer coulometric) near6 (mass weight) near12 (thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 16:43
S19	95	(coulometer coulometric) near6 (mass weight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 18:17
S20	13	S19 and thickness	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 16:43
S21	718	((wafer adj map) global globally) near12 (thick thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 17:45
S22	0	S19 and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 17:40
S24	15	(sheet adj resistance) and S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 17:41
S25	21	((wafer global gobally) adj map) near12 (thick thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 17:58
S26	90	(coulometer coulometric coulometrically coulombmeter coulombmetric coulombmetrically) near6 (thick thickness)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 18:18

S27	90	(coulometer coulometric coulometrically coulombmeter coulombmetric coulombmetrically) near6 (thick thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 18:21
S28	46	S27 and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:24
S29	1	S27 and (density same area same (weight or mass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/03 18:23
S30	8370	(mass weight) with density with thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 12:25
S31	4597	(mass weight) near10 density near10 thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:19
S32	76	S31 and (coulometric coulomb coulometrically)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 13:20
S33	157	S31 and electroplat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:55
S34	63	(sheet adj resistance) and ((eddy adj current) near12 (resistance conductance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 18:29

S35	11	S34 and (control\$4 near12 temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 14:01
S36	12	("20010008827"   "20010054896"   "20020047705"   "20020053904"   "20020077031"   "4849694"   "5552704"   "5604344"   "6407546"   "6433541"   "6593738"   "6700370").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 17:42
S37	34	(sheet adj resistance) near12 (map)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 17:43
S38	59	(sheet adj resistance) near12 (map\$4)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 17:52
S39	32	S38 and (plat\$3 electroplat\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 17:44
S40	172	(sheet adj resistance) near12 (map\$4 profil\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 18:29
S41	19550	(thickness) near12 (map\$4 profil\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 17:52
S42	19678	S40 S41	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 17:52
S43	44	S40 and S41	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 18:08
S44	1	"6298470".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 18:08
S45	251	(plating electroplating) and ((eddy adj current) near12 (resistance conductance))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:28
S46	65	S45 and (map\$4 profil\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/04 18:29

S47	334	S31 and (plating electroplat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 19:11
S48	29	S31 and faraday	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/04 19:11
S49	46	(eddy adj current) near12 (resistance conductance) near6 (sheet adj resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 11:31
S50	26	(eddy adj current) near12 (control\$4 near2 temperature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:46
S51	112	measur\$5 near3 until near3 (stable unvarying vary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 16:22
S52	0	S51 and eddy adj current	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/05 15:47